

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	75	((seed or seeds) adj2 (distribution or distributed or server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$))	US-PGPUB	OR	OFF	2006/11/22 14:05
L2	1	((seed or seeds) adj2 (distribution or distributed or server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$))	EPO; JPO; DERWENT	OR	OFF	2006/11/22 14:06
L3	3	((seed or seeds or pseudo\$) adj2 (distribute or distribution or distributed or server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$ or \$scrambl\$))	EPO; JPO; DERWENT	OR	OFF	2006/11/22 14:07
S1	406	("726"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls. or "709"/\$.ccls. or "705"/\$.ccls.) and (((key or keys) adj2 (sequence or sequences or plural\$ or multiple or iterat\$ or partial)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) adj3 (station\$ or terminal\$)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 13:57
S2	93	("726"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls. or "709"/\$.ccls. or "705"/\$.ccls.) and (((key or keys) adj2 (sequence or sequences or plural\$ or multiple or iterat\$ or partial)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) adj3 (station\$ or terminal\$)) and (data adj2 (units or blocks or frames or sectors)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:03
S3	21	("726"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls. or "709"/\$.ccls. or "705"/\$.ccls.) and (((key or keys) with (sequence or sequences or plural\$ or multiple or iterat\$ or partial) with (creation or generate or generation)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) adj3 (station\$ or terminal\$)) and (data adj2 (units or blocks or frames or sectors)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:05

## EAST Search History

S4	16	("726"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls. or "709"/\$.ccls. or "705"/\$.ccls.) and (((key or keys) with (sequence or sequences or plural\$ or multiple or iterat\$ or partial) with (creation or generate or generation)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) adj3 (station\$ or terminal\$)) and (data adj2 (units or blocks or frames or sectors)) and (seed or seeds or prn or random))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 14:34
S5	14	(380/277-286.ccls.) and (((key or keys) with (sequence or sequences or plural\$ or multiple or iterat\$ or partial) with (creation or generate or generation)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) and (station\$ or terminal\$)) and (data adj2 (units or blocks or frames or sectors pieces)) and (seed or seeds or prn or random or "initial value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:53
S6	1	(380/277-286.ccls.) and (((key or keys) adj3 (server) with (creation or generate or generation)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) and (station\$ or terminal\$)) and (data adj2 (units or blocks or frames or sectors pieces)) and (seed or seeds or prn or random or "initial value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:55
S7	13	(((key or keys) adj3 (server) with (creation or generate or generation)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) and (station\$ or terminal\$)) and (data adj2 (units or blocks or frames or sectors pieces)) and (seed or seeds or prn or random or "initial value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:57
S8	265	(((key or keys or seed or seeds or prn or random or "initial value") adj3 (server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) and (station\$ or terminal\$)) and (data adj2 (units or blocks or frames or sectors pieces)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:59

## EAST Search History

S9	17	(380/277-286.ccls.) and (((key or keys or seed or seeds or prn or random or "initial value") adj3 (server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$) and ((user or client or remote) and (station\$ or terminal\$)) and (data adj2 (units or blocks or frames or sectors pieces)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:46
S10	2672	(((key or keys or seed or seeds or prn or random or "initial value") adj2 (server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:49
S11	2011	("726"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls. or "709"/\$.ccls. or "705"/\$.ccls.) and (((key or keys or seed or seeds or prn or random or "initial value") adj2 (server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:50
S12	209	("726"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls. or "709"/\$.ccls. or "705"/\$.ccls.) and (((seed or seeds or prn or random) adj2 (server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:04
S13	48	("726"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls. or "709"/\$.ccls. or "705"/\$.ccls.) and (((seed or seeds) adj2 (server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 14:19
S14	2	"6801999".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 12:42
S15	1	"6801999".pn. and seed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 12:42
S16	67	("726"/\$.ccls. or "713"/\$.ccls. or "380"/\$.ccls. or "709"/\$.ccls. or "705"/\$.ccls.) and (((seed or seeds) adj2 (distribution or distributed or server) and (creation or generate or generation)) and (\$crypt\$ or \$cipher\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/22 14:03

## EAST Search History

S17	1	"6477649".pn. and (terminal\$ or subscriber or box or client\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 15:34
-----	---	---	---	----	-----	------------------